



261 Mountain View Dr  
 Colchester, VT 05446  
 License #: TLAB0030  
 802-767-7256  
 info@vt.steepphill.com

# Certificate of Analysis

**Client Name:** X-Tract VT  
**License Number:** MANU-0008

**Sample ID:** VT721  
**Sample Name:** Lemon Gummy 1mg  
**Sample Lot:** MANU0008-47  
**Sample Matrix:** Gummy  
**Date Received:** 2/5/2023  
**Date Reported:** 2/7/2023



## Potency

Standard potency analysis utilizing High Performance Liquid Chromatography (HPLC; SOP-024-VT) | Test ID: #1331

Analyte	%	mg/g	LOD (mg/g)	LOQ (mg/g)
CBDV	ND	ND	0.0008	0.0040
CBDVA	ND	ND	0.0001	0.0040
THCV	< LOQ	< LOQ	0.0016	0.0049
CBDA	ND	ND	0.0002	0.0040
CBD	ND	ND	0.0008	0.0040
CBG	< LOQ	< LOQ	0.0009	0.0040
CBGA	ND	ND	0.0001	0.0040
THCVA	ND	ND	0.0002	0.0040
CBN	< LOQ	< LOQ	0.0004	0.0040
CBCVA	ND	ND	0.0004	0.0040
D9 THC	0.0325	0.325	0.0016	0.0049
D8 THC	ND	ND	0.0012	0.0040
CBNA	ND	ND	0.0002	0.0040
D10 THC	< LOQ	< LOQ	0.0004	0.0040
CBC	ND	ND	0.0003	0.0040
THCA	ND	ND	0.0002	0.0040
CBCA	ND	ND	0.0002	0.0040

Total Cannabinoids		
	%	mg/g
Total THC:	0.033	0.325
Total Cannabinoids:	0.033	0.325
Unit Weight (g): 4.695		

**Total theoretical THC % = (delta-9-THC%) + (THCA% \* 0.877)**

Callie Chapman  
 Lab Director  
 2/7/2023



Sample ID: VT721

In performing the services, Steep Hill Vermont Labs, ("SHVT") shall exercise a degree of skill and care ordinarily exercised by a reasonably prudent laboratory professional under similar circumstances. Except as set forth in the preceding sentence, client acknowledges and agrees that: (a) the services may require SHVT to make judgements based upon limited data rather than upon scientific certainties; (b) SHVT's approach, recommendations, and associated cost estimates, if any, are based on industry practices and averages; (c) SHVT renders its opinions with respect to observations made and data available at the time of testing; (d) ultimate outcomes could be inconsistent with SHVT's conclusions, results and projections; and (e) there may be additional reports relating to the site (whether prepared by SHVT or other parties), and reliance upon any SHVT report without reference to any such other reports is done at client's sole risk.





### Certificate of Analysis

Company: X-Tract Vermont LLC

Sample ID: MANU008-4

Lot: N/A

Report Date: 10/18/2022

Matrix: Concentrate

Date Analyzed: 10/18/2022

Customer ID: 200717-0

Date Sampled: 10/7/2022

Analyst: LEM

Grower License #: 50\_2022\_00000518

Date Received: 10/10/2022

Report ID: C221010AA

### Cannabinoid Summary

Cannabinoid Profile	LOQ (mg/g)	Concentration (mg/g)	Weight (%)
CBDVA	0.0005	<LOQ	<LOQ
CBDV	0.0012	<LOQ	<LOQ
CBDA	0.0008	<LOQ	<LOQ
CBGA	0.0008	<LOQ	<LOQ
CBG	0.0019	33.76	3.38
CBD	0.0019	6.50	0.65
THCV	0.0021	8.37	0.84
CBN	0.0013	17.34	1.73
Δ9-THC	0.0020	677.37	67.74
Δ8-THC	0.0019	11.37	1.14
THC-A	0.0034	<LOQ	<LOQ
CBC	0.0024	<LOQ	<LOQ
<b>Total THC</b>		<b>677.37</b>	<b>67.74</b>
<b>Total CBD</b>		<b>6.50</b>	<b>0.65</b>
<b>Total Cannabinoids</b>		<b>754.71</b>	<b>75.47</b>

67.74%  
Total THC

0.65%  
Total CBD

75.47%  
Total Cannabinoids

67.74%  
Δ9-THC

N/A  
Percent Moisture

1 : 0  
THC : CBD Ratio

Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)

Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:  
 Total THC = (THCA x 0.877) + Δ9-THC      Total CBD = (CBDA x 0.877) + CBD  
 Ratio of Total CBD: Total THC      Reagent Blanks: < LOQs for all analytes

LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the particular quantity subject to measurement.  
 Δ9-THC MU = ±0.005%      Total THC MU = ±0.007%

All other cannabinoid MU values are available upon request.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.



This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.


Certified by: Luke E. M.  
Luke Emerson Mason (Laboratory Director, Bia Diagnostics)

## Certificate of Analysis

**Company:** X-Tract Vermont LLC

**Sample ID:** MANU008-4

**Lot:** N/A

**Report Date:** 10/25/2022

**Matrix:** Concentrate

**Date Analyzed:** 10/18/2022

**Customer ID:** 200717-0

**Date Sampled:** 10/7/2022

**Analyst:** CF

**Grower License #:** 50\_2022\_00000518

**Date Received:** 10/10/2022

**Report ID:** C221010AA

### Residual Solvents Summary

Residual Solvent	LOQ (µg/g)	Results (µg/g)
1,2-Dichloroethane	0.002	<LOQ
Benzene	0.003	<LOQ
Chloroform	0.006	<LOQ
Methylene Chloride	0.005	<LOQ
Trichloroethylene	0.001	<LOQ
Acetone	0.005	<LOQ
Acetonitrile	0.002	<LOQ
Propane	0.005	<LOQ
Butane	24.000	<LOQ
Ethanol	0.036	<LOQ
Ethyl acetate	0.014	<LOQ
Ethyl Ether	0.225	<LOQ
Heptane	1.500	<LOQ
Hexane	0.023	<LOQ
Isopropyl Alcohol	0.018	<LOQ
Methanol	0.009	<LOQ
Pentane	22.500	<LOQ
Toluene	0.005	<LOQ
Total Xylenes	0.011	<LOQ

LOQ = The lowest quantity that this method can reliably detect. Any residual solvent that was not detected is assumed to be less than the stated LOQ (<LOQ).

Residual Solvent Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: < LOQs for all analytes



This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by: *Luke E. M.*  
 Luke Emerson Mason (Laboratory Director, Bia Diagnostics)

## Certificate of Analysis

**Company:** X-Tract Vermont LLC

**Sample ID:** MANU008-4

**Lot:** N/A

**Report Date:** 10/24/2022

**Matrix:** Concentrate

**Date Analyzed:** 10/17/2022

**Customer ID:** 200717-0

**Date Sampled:** 10/7/2022

**Analyst:** KAC

**Grower License #:** 50\_2022\_00000518

**Date Received:** 10/10/2022

**Report ID:** C221010AA

### Pesticides/Mycotoxins Summary

Category II Residual Pesticide	LOQ (ppb)	Concentration (ppb)
Abamectin	10.0	<LOQ
Acephate	1.0	<LOQ
Acequinocyl	1.0	<LOQ
Azoxystrobin	1.0	<LOQ
Bifenazate	1.0	<LOQ
Bifenthrin	1.0	<LOQ
Carbaryl	1.0	<LOQ
Cypermethrin	10.0	<LOQ
Etoxazole	1.0	<LOQ
Imidacloprid	1.0	<LOQ
Myclobutanil	1.0	<LOQ
Pyrethrin I	1.0	<LOQ
Pyrethrin II	1.0	<LOQ
Spinosyn A	1.0	<LOQ
Spinosyn D	1.0	<LOQ

Category II Mycotoxin	LOQ (ppb)	Concentration (ppb)
Ochratoxin A	2.0	NOT TESTED
Aflatoxin B1	0.2	NOT TESTED
Alfatoxin B2	1.0	NOT TESTED
Alfatoxin G1	0.2	NOT TESTED
Alfatoxin G2	1.0	NOT TESTED

Category I Residual Pesticide	LOQ (ppb)	Concentration (ppb)
Chlorpyrifos	1.0	<LOQ
Imazalil	1.0	<LOQ

N/A

**Percent  
Moisture**



LOQ = The lowest quantity this method can reliably detect. Any pesticide or mycotoxins that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

ppb = parts per billion

Pesticides/Mycotoxin Methodology: Liquid Chromatography with Tandem Mass Spectrometry using PerkinElme QSight® LX50 UHPLC and QSight 220 Mass Spectrometer

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.

Certified by:



Luke Emerson Mason (Laboratory Director, Bia Diagnostics)

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context.  
 Results apply to the samples as received.

## Certificate of Analysis

**Company:** X-Tract Vermont LLC

**Sample ID:** MANU008-4

**Lot:** N/A

**Report Date:** 10/25/2022

**Customer ID:** 200717-0

**Matrix:** Concentrate

**Date Analyzed:** 10/18/2022

**Grower License #:** 50\_2022\_00000518

**Date Sampled:** 10/7/2022

**Analyst:** RS

**Date Received:** 10/10/2022

**Report ID:** C221010AA

### Pathogen Summary

Target Pathogens	Method	LOD (cfu/g)	Result (cfu/g)
Aspergillus - flavus, fumigatus, niger, terreus	Aspergillus AOAC PTM No. 032104	5	<LOD
STEC	STEC Virx AOAC PTM No. 121203	5	<LOD
Salmonella spp.	Salmonella II AOAC PTM No. 010803	5	<LOD




Test Methodology: Bio-Rad IQ-Check PCR Kits

cfu/g = colony forming units per gram

LOD = The lowest quantity that this method can reliably detect. Any microbial growth that was not detected is assumed to be less than the stated LOD (&lt;LOD).

Reagent Blanks: &lt;LOD for all analytes

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by:   
 Luke Emerson Mason (Laboratory Director, Bia Diagnostics)

## Certificate of Analysis

**Company:** X-Tract Vermont LLC

**Sample ID:** MANU008-4

**Lot:** N/A

**Report Date:** 10/25/2022

**Customer ID:** 200717-0

**Matrix:** Concentrate

**Date Analyzed:** 10/24/2022

**Grower License #:** 50\_2022\_00000518

**Date Sampled:** 10/7/2022

**Analyst:** HEM

**Date Received:** 10/10/2022

**Report ID:** C221010AA

## Heavy Metal Summary

Heavy Metal Profile	LOQ (ppm)	Concentration (ppm)
Arsenic (As)	0.0001	0.002
Cadmium (Cd)	0.0001	<LOQ
Mercury (Hg)	0.0001	<LOQ
Lead (Pb)	0.0001	0.001



**N/A**

**Percent  
Moisture**

Heavy Metal Methodology: ICP-MS using PerkinElmer NexION® 2000 ICP Mass Spectrometer

Reagent Blanks: < LOQs for all analytes

ppm = parts per million

LOQ = The lowest quantity that this method can reliably detect. Any heavy metal that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by: \_\_\_\_\_



Luke Emerson Mason (Laboratory Director, Bia Diagnostics)